Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/6550105667/01-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 01-07-2016

To,
A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI,
AYAPPA LAYOUT RAVINDRA NAGARA BBMP

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:549975145646 Dated: 29-06-2016
2) Account ID : 0016396734
3) Prevailing KERC regulations.

With reference to your Application No. **549975145646 Dated: 29-06-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **0016396734** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	**0**
2	No. of Floors Added or New	**0**
3	Existing Plinth Area in sq.m.	**0**
4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

   b. Total height of the building above ground level in m: **0.**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (EI) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	₹7400.00
2.	Service Line charges (Development Charges)	₹0.00
3.	Additional Service Line charges (Additional Development Charges)	₹0.00
4.	Infrastructure charges	₹0.00
5.	10 % Supervisory Charges	₹0
	Total	₹7400.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1__ Nos.

b) Three Phase Meters __0__ Nos.

c) ETV Meters __0__ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully,

Assistant Executive Engineer

N5 SRS GATE, BESCOM

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

VVJ

0782321

Receipt Number	001639681758
Receipt Date	30-06-2016 13:19:21
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	0016396734
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

ಕಛೇರಿ ಮೊಹರು

One Hundred Rupees Only

AE-17

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

VVJ

0782745

Receipt Number	001639693973
Receipt Date	02-07-2016 14:36:17
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	0016396734
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

ಕಛೇರಿ ಮೊಹರು

Seven Thousand Four Hundred Rupees Only

AE-17

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AEE BRMP

Address Shetty Halli sub Division
T. Dasarahalli
Note

BILL No. **R** 122797

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 3 phase CQ14235 AE-13 ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ಪಲುಯ ಬೈಪಾಸ್ ಬೆಂಗಳೂರು ಮುಖಾನಗರ ಪಾಲಿಕೆ ಬಿ.ಬಿ.ಎಂ. ಲೇಔಟ್, ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು.	1	1650	1650	00
			VAT @ 14.5%	239	25
			GRAND TOTAL	1889	25

Name of Company **BESCOM** DVN. NS

W.O. No. D-11684 Date 6/7/16

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

GRH

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/1404170925/01-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 01-07-2016

To,
A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI,
SANTHOSH NAGARA 6TH CROSS T DASARAHALLI

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:654843898906 Dated: 29-06-2016
2) Account ID : 4126047695
3) Prevailing KERC regulations.

With reference to your Application No. **654843898906 Dated: 29-06-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **4126047695** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	**0**
2	No. of Floors Added or New	**0**
3	Existing Plinth Area in sq.m.	**0**
4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

   b. Total height of the building above ground level in m: **0**.

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (EI) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	**₹7400.00**
2.	Service Line charges (Development Charges)	**₹0.00**
3.	Additional Service Line charges (Additional Development Charges)	**₹0.00**
4.	Infrastructure charges	**₹0.00**
5.	10 % Supervisory Charges	**₹0**
	Total	**₹7400.00**

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1_____ Nos.

b) Three Phase Meters ___0____ Nos.

c) ETV Meters ____0____ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully,

Assistant Executive Engineer

N5 SRS GATE, BESCOM

ಬೆವಿಕಂ BESCOM

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

---------- THANK YOU ----------

WJ

0782328

ಕಛೇರಿ ಮೊಹರು

Receipt Number	412604772651
Reciept Date	30-06-2016 13:19:21
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	4126047695
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

AE-13

One Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆವಿಕಂ BESCOM

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

---------- THANK YOU ----------

VJ

0782748
N5 SRS CATE

ಕಛೇರಿ ಮೊಹರು

Receipt Number	412604793506
Reciept Date	02-07-2016 14:36:17
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	4126047695
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

AE-13

Seven Thousand Four Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AEE BBMP

Address Shetty Halli Sub Division
T-Dasarahalli
Nlore

BILL No. **R** 122791

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 3phase C217648	1	1650	1650	00
			VAT @ 14.5 %	279	25
			GRAND TOTAL	1879	25

AE-13

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ಮಂಡಲ
ಬೆಸ್ಕಾಂ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಎಸ್.ಬಿ.ಎಂ. ರಸ್ತೆ, ಮಲ್ಲೇಶ್ವರಂ, ಬೆಂಗಳೂರು.

Name of Company **BESCOM** DVN. N5

W.O. No. D-11678 Date 5/7/16

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

GYR

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/5132447397/01-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 01-07-2016

To,
A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI,
PIPE LINE RAOD MALASANDRA T DASARAHALLI BBMP

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:450102310255 Dated: 29-06-2016
2) Account ID : 4066849171
3) Prevailing KERC regulations.

With reference to your Application No. **450102310255 Dated: 29-06-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **4066849171** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**.

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (EI) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	₹7400.00
2.	Service Line charges (Development Charges)	₹0.00
3.	Additional Service Line charges (Additional Development Charges)	₹0.00
4.	Infrastructure charges	₹0.00
5.	10 % Supervisory Charges	₹0
	Total	₹7400.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1__ Nos.

b) Three Phase Meters __0__ Nos.

c) ETV Meters __0__ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

N5 SRS GATE, BESCOM

---------- THANK YOU ----------

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

N5 SRS GATE

WJ 0782322

ಕಛೇರಿ ಮೊಹರು

Receipt Number	406684989484
Reciept Date	30-06-2016 13:19:21
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	4066849171
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

AE-13

One Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

---------- THANK YOU ----------

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

N5 SRS GATE

WJ 0782747

ಕಛೇರಿ ಮೊಹರು

Receipt Number	406684940922
Reciept Date	02-07-2016 14:36:17
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	4066849171
Person Name	A E E (BBMP SHETTYHALLI SUB-DIVISION) T DASARAHALLI
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

AE 13

Seven Thousand Four Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited
ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AEE BBMP

Address Shetty Halli Sub Division
T. Dasarahalli
Blore

BILL No. **R** 122793

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 3phase C217650 AE-13 ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ಮಲಯ ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ ಎಸ್.ಎಂ. ರಸ್ತೆ, ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು.	1	1650	1650	00
			VAT @ 14.5 %	239	25
			GRAND TOTAL	1889	25

Name of Company BESCOM DVN. N5

W.O. No. D-11665 Date 4/7/16

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

YRH

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 327 Date : 5-4-16

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer, Shettihalli Sub Division, BBMP, Bangalore

2. Well Location : AYAPPA LAYOUT - Mallasandra

3. Total Well Depth / Drilled in Ft. : 1150 FT

4. Casing Erected in Ft. : 315 FT

5. Water Struck at the Depth of : 900 FT

6. Total Yield (Measuring method "V" Norch : 2 1/2" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of :

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

AG 13

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ಬಾಸವರಹಳ್ಳಿ ಮಲಯ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಎಸ್.ಎಂ. ರಸ್ತೆ, ರವೀಂದ್ರನಗರ, ಬೆಂಗಳೂರು.

Party's Signature

For VINAYAKA ENTERPRISES

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 325 Date : 4-4-16

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer
Shettihalli Sub Division
BBMP, Banglore

2. Well Location : PIPE LINE ROAD - MALASANDRA

3. Total Well Depth / Drilled in Ft. : 1180Ft

4. Casing Erected in Ft. : 318Ft

5. Water Struck at the Depth of : 990Ft

6. Total Yield (Measuring method "V" Norch : 2' / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear ✓

8. At the Depth of :

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump ✓

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

AE-13

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ಮಾನಪಟ್ಟಿಯ ಮೇಲಿನ
ಬ್ಬಿಪಟ್ಟ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಎಸ್.ಎಂ. ರಸ್ತೆ, ರಾಜಾಜಿನಗರ, ಬೆಂಗಳೂರು.

For VINAYAKA ENTERPRISES

Party's Signature

~~Manager~~ / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 326

Date : 5-4-16

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer, Shettihalli Sub Division, BBMP, Bangalore -

2. Well Location : SANTOSH NAGARA 6TH CROSS

3. Total Well Depth / Drilled in Ft. : 1250FT

4. Casing Erected in Ft. : 330FT

5. Water Struck at the Depth of : 850FT

6. Total Yield (Measuring method "V" Norch : 2½" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of : 950FT

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

AE-13

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ಬಾಪೂಜಿ ನಗರ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಬಿ.ಬಿ.ಎಂ.ಪಿ. ರಸ್ತೆ, ಬೆಂಗಳೂರು, ಬೆಂಗಳೂರು.

Party's Signature

For VINAYAKA ENTERPRISES

~~Manager~~ / Proprietor

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 19-3-16

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ...BANGALORE..... city/village ...PIPE LINE ROAD - MALASANDRA... Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ...E N..... marked by ...Black Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ...Haral..... rock.

SOURCES EXTRACTED :

(I) Betwen ...610 - 710 FT..... ft/mtrs. (II) ...950 - 990 FT..... ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ...950 FT..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ...850.....ft/mtrs.
Approx, yield expected may be around ...8800.....GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

NG 13

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಕೆಬ್ಬಿಹಳ್ಳ ಉಪವಿಭಾಗ, ದಾಸರಹಳ್ಳಿ ವಲಯ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಬಿಎಂ. ರಸ್ತೆ, ಶಕುಂತಲಾನಗರ, ಬೆಂಗಳೂರು.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom
Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 19-3-14

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging ...BANGALORE... city/village ...SANTOSH NAGAR 6TH CROSS MALASANDRA ...Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... N W ..... marked by ..... Suleem Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..... kuddle ..... rock.

SOURCES EXTRACTED :

(I) Betwen ..... 600 - 800 FT ..... ft/mtrs. (II) ..... 980 - 1100 FT ..... ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... 900 FT ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..... 315 FT ..... ft/mtrs.

Approx, yield expected may be around ..... 3900 .....GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 19-3-16

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE city/village ANJAPPA LAYOUT MALASANDRA dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards SE marked by Red Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Hard rock.

SOURCES EXTRACTED :

(I) Betwen 500 to 800 FT ft/mtrs. (II) 800 - 1000 FT ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of 980 FT ft/mtrs. Below the ground level, casing pipe required be to app depth of 320 FT ft/mtrs.

Approx, yield expected may be around 3800 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

AG-13

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

ಸಹಾಯಕ ಕಾರ್ಯಪಾಲಕ ಅಭಿಯಂತರರು
ಶೆಟ್ಟಿಹಳ್ಳಿ ಉಪವಿಭಾಗ, ಬಾಪೂಜಿನಗರ ಜಲಮಂಡಳಿ
ಬೃಹತ್ ಬೆಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ
ಎಸ್.ಎಂ. ರಸ್ತೆ, ರಾಜರಾಜೇಶ್ವರಿನಗರ, ಬೆಂಗಳೂರು.